This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

P ENT COOPERATION TREA

To:

From	the	IN	TFRN	ΙΔΤ	ION.	AΙ	RU	IRF	Αl.

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

Assistant Commissioner for Patents United States Patent and Trademark Office

Office
Box PCT
Washington, D.C.20231
ÉTATS-UNIS D'AMÉRIQUE

Date of mailing (day/month/year)
09 February 2000 (09.02.00)

International application No.
PCT/GB99/01756

International filing date (day/month/year)
04 June 1999 (04.06.99)

Applicant

MCKNIGHT, Jo et al

1.	The designated Office is hereby notified of its election made:
1.	
	X in the demand filed with the International Preliminary Examining Authority on:
	05 January 2000 (05.01.00)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland **Authorized officer**

Jean-Marc Vivet

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

ENT COOPERATION TREA

From the INTERNATIONAL BUREAU

To:

DEALTRY, Brian Eric Potter Clarkson Park View House 58 The Ropewalk Nottingham NG1 5DD **ROYAUME-UNI**

NOTICE INFORMING THE APPLICANT OF THE **COMMUNICATION OF THE INTERNATIONAL** APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

Date of mailing (day/month/year)

16 December 1999 (16.12.99)

Applicant's or agent's file reference

PEND/P20878PC

IMPORTANT NOTICE

International application No. PCT/GB99/01756

International filing date (day/month/year) 04 June 1999 (04.06.99)

Priority date (day/month/year) 05 June 1998 (05.06.98)

Applicant

COURTAULDS TEXTILES (HOLDINGS) LIMITED et al

Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice:

AU, CN, EP, IL, JP, KP, KR, US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CU,CZ,DE,DK,EA,EE,ES,FI,GB,GD,GE,GH,GM,HR,HU, ID,IN,IS,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,NZ,OA,PL,PT,RO,RU,SD, SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,UZ,VN,YU,ZA,ZW
The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the

applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 16 December 1999 (16.12.99) under No. WO 99/64238

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland


Authorized officer

J. Zahra

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

From the: INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY **DEALTRY**, Brian ERIC POTTER CLARKSON PARTNER Park View House WRITTEN OPINION 58 The Ropewalk Nottingham NG1 5DD (PCT Rule 66) **GRANDE BRETAGNE** ACTIONED BY: Date of mailing 24.03.2000 (day/month/year) **REPLY DUE** within 3 month(s) Applicant's or agent's file reference from the above date of mailing PEND/P20878PC Priority date (day/month/year) International filing date (day/month/year) International application No. 05/06/1998 04/06/1999 PCT/GB99/01756 International Patent Classification (IPC) or both national classification and IPC B32B27/12 Applicant COURTAULDS TEXTILES (HOLDINGS) LIMITED et al. This written opinion is the first drawn up by this International Preliminary Examining Authority. This opinion contains indications relating to the following items: Basis of the opinion II Priority Non-establishment of opinion with regard to novelty, inventive step and industrial applicability П 111 Lack of unity of invention I۷ Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement V١ ☐ Certain document cited ☐ Certain defects in the international application VII ☐ Certain observations on the international application VIII The applicant is hereby invited to reply to this opinion. See the time limit indicated above. The applicant may, before the expiration of that time limit, When? request this Authority to grant an extension, see Rule 66.2(d). By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. How? For the form and the language of the amendments, see Rules 66.8 and 66.9 For an additional opportunity to submit amendments, see Rule 66.4. Also: For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis. For an informal communication with the examiner, see Rule 66.6. If no reply is filed, the international preliminary examination report will be established on the basis of this opinion. The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 05/10/2000. Authorized officer / Examiner





130

European Patent Office D-80298 Munich

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Schambeck, W

Formalities officer (incl. extension of time limits)

| Ridé, M-C

Telephone No. +49 89 2399 8082



WRITTEN OPINION

I. Basis	of the	opinion
----------	--------	---------

(5%)

1.	This opinion has been in response to an invit	drawn on the basis of (substitute sheets which have been furnished to the receiving Office ation under Article 14 are referred to in this opinion as "originally filed".):
	Description, pages:	
	1-19	as originally filed
	Claims, No.:	
	1-23	as originally filed
	Drawings, sheets:	
	1/3-3/3	as originally filed
2	. The amendments hav	re resulted in the cancellation of:
	☐ the description,	pages:
	☐ the claims,	Nos.:
	☐ the drawings,	sheets:
3	. This opinion has been considered to go beyo	n established as if (some of) the amendments had not been made, since they have been ond the disclosure as filed (Rule 70.2(c)):
4	. Additional observation	ns, if necessary:
١	/. Reasoned statemen applicability; citatio	nt under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial ns and explanations supporting such statement
1	. Statement	
	Novelty (N)	Claims 1-5, 11, 14 NO
	Inventive step (IS)	Claims 1-23 NO
	Industrial applicability	y (IA) Claims
2	2. Citations and explan	ations
	see separate sheet	

The negative statements with regard to novelty and inventive step made in this communication rely on the following prior art documents, which all relate to the field of sheet materials for sanitary purposes; attention is in particular drawn to the passages given in parentheses:

- (1) DE-A-3 245 196 (claims 6, 10 and 15; paragraph bridging pages 7 and 8)
- (2) GB-A-2 189 993 (page 1, lines 4 to 21, 41 to 54, 75 to 79 and 102 to 122)
- (3) US-A-3 881 489 (column 1, line 5 to 10; column 2, line 63 to column 3, lines 2; column 3, lines 28 to 68; column 4, lines 14 to 20)
- (4) GB-A-2 186 233 (page 1, lines 5 to 8 and 61 to 64; page 2, lines 58 to 62; page 3, lines 21 to 31)

Document (1) discloses sheet materials which are covered by claims 1 to 3 and 5 of the international application.

Document (2) discloses sheet materials which are covered by claims 1 to 3, 5, 11 and 14 of the international application.

Document (3) discloses sheet materials which are covered by claims 1 to 5 of the international application.

The inventions defined by claims 1 to 5, 11 and 14 are thus considered to lack novelty over the state of the art.

The inventions defined by claims 6 to 10, 12, 13 and 15 to 23 are considered not to involve an inventive step because they appear to merely concretise or supplement the teaching expressed in the preceding claims by

- (i) adding technical information forming part of the common general knowledge in the relevant technical field or even present in document (1), (2), (3) or (4), or
- (ii) introducing restrictions arbitrary in the sense that they do not contribute to the solution of a meaningful technical problem derivable from the application as filed.

Concerning claim 6, it is in particular to be noted that document (4) teaches the use of

WRITTEN OPINION SEPARATE SHEET

perforated polyurethane layers as skin-contact layers in sheet materials for sanitary purposes.

591701948



PCT

REC'D 0	FEB	77.11
WIPO		PĈŦ

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

• •	_	nt's file reference	FOR FURTHER AC		cation of Transmittal of International y Examination Report (Form PCT/I	
PEND/P	20878	BPC		110000000		
Internation			International filing date (d	ay/month/year)	Priority date (day/month/year)	
PCT/GB	99/01	756	04/06/1999		05/06/1998	
Internation B32B27		nt Classification (IPC) or na	tional classification and IPC			
Applicant COURT	AULD	S TEXTILES (HOLDII	NGS) LIMITED et al.			
		ational preliminary exam smitted to the applicant a		prepared by this Inte	ernational Preliminary Examini	ng Authority
2. This	REPO	RT consists of a total of	4 sheets, including this	cover sheet.		
:	been a	mended and are the bas	d by ANNEXES, i.e. she sis for this report and/or s 07 of the Administrative	sheets containing re	on, claims and/or drawings white ctifications made before this Anne PCT).	ch have Authority
Thes	se ann	exes consist of a total of	3 sheets.			
			•			
3. This	report	contains indications rela	ating to the following item	ns:		
ı	\boxtimes	Basis of the report				
II		Priority				
III		Non-establishment of o	opinion with regard to no	velty, inventive step	and industrial applicability	
IV		Lack of unity of invention	on			
V	×		nder Article 35(2) with re ons suporting such state		entive step or industrial applica	ability;
VI		Certain documents cit	ed			
VII		Certain defects in the i	nternational application			
VIII		Certain observations o	n the international applic	ation		
• .	:	, •				
Date of su	ıbmissid	on of the demand		Date of completion o	f this report	
05/01/2	000				3 C. Cl. O1	
		g address of the international ining authority:	al	Authorized officer		STATE A GOVES MILLINGS
<u>)</u>	European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d			Schambeck, W		LANDON SOLUTION OF THE PARTY OF
	Fax: +49 89 2399 - 4465			Telephone No. +49 8	9 2399 2135	1500



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB99/01756

I. Basis of the report

	the i	onse to an invitation on the contraction of the con	on under Article 14 are rei o not contain amendment	ferred to in this repo ts (Rules 70.16 and	rt as "originally til 70.17).):	lea" and are not annexed to
	1-19)	as originally filed			
	Clai	ms, No.:				
	1-20)	as received on	18/07/2000	with letter of	14/07/2000
	Drav	wings, sheets:				
	1/3-	3/3	as originally filed			
2.	With lang	n regard to the lang Juage in which the	guage, all the elements m international application v	narked above were a was filed, unless othe	vailable or furnis erwise indicated	hed to this Authority in the under this item.
	The	se elements were	available or furnished to t	his Authority in the fo	ollowing languag	e: , which is:
		• •	translation furnished for t			ch (under Rule 23.1(b)).
			ublication of the internatio			•
		the language of a 55.2 and/or 55.3).		he purposes of inter	national prelimin	ary examination (under Rule
3.	With	n regard to any nuo rnational prelimina	cleotide and/or amino ac ry examination was carrie	c id sequence disclored out on the basis o	sed in the interna f the sequence li	ational application, the sting:
		contained in the ir	nternational application in	written form.		
		filed together with	the international applicat	ion in computer read	lable form.	
		furnished subsequ	uently to this Authority in v	written form.		
			uently to this Authority in			
		the international a	application as filed has be	en furnished.		t go beyond the disclosure ir
		The statement that listing has been for		d in computer reada	ble form is identi	cal to the written sequence
4.	The	amendments have	e resulted in the cancellat	tion of:		
		the description,	pages:			•
		the claims,	Nos.:			

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/GB99/01756

		the drawings,	sheets:
5.	×		n established as if (some of) the amendments had not been made, since they have been yond the disclosure as filed (Rule 70.2(c)):
		(Any replacement sh report.) see separate sheet	neet containing such amendments must be referred to under item 1 and annexed to this
6.	Add	ditional observations, i	if necessary:

- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Claims 1-20

Inventive step (IS)

No: Claims

Claims 1-20

Yes: Claims No:

Industrial applicability (IA)

Yes: Claims 1-20

No: Claims

2. Citations and explanations see separate sheet

concerning Section I, item 5

The report has been established as if the clause reading "to enable a desired flow through the first layer for discharge through said selected parts of the second layer" were not present in claim 1 since the incorporation of that clause is considered to represent an amendment going beyond the disclosure as filed.


concerning Section V

No disclosure can be found in the documents cited in the search report of a laminated sheet material as defined in independent claim 1 or a method for making a laminated sheet material as defined in independent claim 14, let alone technical information which might have made it foreseeable that the objects presented in the description of the application, page 2, lines 11 to 20 can be achieved by following the teachings defined in the independent claims.



(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference		f Transmittal of International Search Report
PEND/P20878PC	ACTION (FORTIFICITISAVE	20) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/GB 99/01756	04/06/1999	05/06/1998
Applicant		
COURTAULDS TEXTILES(HOLDI	NGS)LIMITED.et.al.	
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth ansmitted to the International Bureau.	nority and is transmitted to the applicant
This International Search Report consists		roport
X It is also accompanied by	a copy of each prior art document cited in this	report.
Basis of the report		
	international search was carried out on the bas ess otherwise indicated under this item.	sis of the international application in the
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of the	he international application furnished to this
b. With regard to any nucleotide an was carried out on the basis of the		ternational application, the international search
l	onal application in written form.	
filed together with the inte	rnational application in computer readable form	n.
furnished subsequently to	this Authority in written form.	
furnished subsequently to	this Authority in computer readble form.	
	osequently furnished written sequence listing d is filed has been furnished.	oes not go beyond the disclosure in the
the statement that the info furnished	ormation recorded in computer readable form is	s identical to the written sequence listing has been
2. Certain claims were fou	nd unsearchable (See Box I).	
3. Unity of invention is lac	king (see Box II).	
4. With regard to the title ,		
X the text is approved as su	ubmitted by the applicant.	
the text has been establis	shed by this Authority to read as follows:	•
5. With regard to the abstract,		
X the text is approved as su		
the text has been establis within one month from the	shed, according to Rule 38.2(b), by this Authori e date of mailing of this international search rep	ty as it appears in Box III. The applicant may, port, submit comments to this Authority.
6. The figure of the drawings to be pub		01
as suggested by the appl		None of the figures.
because the applicant fai		
	characterizes the invention.	



A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 B32B27/12 A47C21/06 A47G9/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B32B A47C A61G A47G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 781 962 A (TOMAS JUNA D M ET AL) 1 November 1988 (1988-11-01) column 1, line 5 - line 20 column 3, line 25 - column 4, line 8 column 5, line 52 - line 56	1,5
X	US 3 881 489 A (HARTWELL EDWARD WALLACE) 6 May 1975 (1975-05-06)	1-5
Α	column 3, line 28 - column 4, line 34	15
X	DE 32 45 196 A (LINNICH PAPIER & KUNSTSTOFF) 7 June 1984 (1984-06-07) claims 1,4,7,10,14-16; figure 2 page 4, paragraph 5 - page 5, paragraph 3 page 7, paragraph 4 - page 8, paragraph 3	1-5

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention
"O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
25 August 1999	06/09/1999
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	De Jonge, S

1

ational Application No PCI/GB 99/01756

		PE1/GB 99/01/56
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 189 993 A (DILLOWAY ARTHUR ALFRED) 11 November 1987 (1987-11-11) page 1, line 102 - line 122; figures 1-3	1-5
X	GB 2 012 159 A (COURTAULDS LTD) 25 July 1979 (1979-07-25)	1,2,5,6
A	page 1, line 18 - line 27 page 1, line 63 - line 105	3,4,7-23
X	DE 93 13 654 U (NOREGA ANSTALT SCHAAN) 23 December 1993 (1993-12-23) claims; figures 1,2	1-5
X	GB 2 186 233 A (JOHNSON & JOHNSON PROD INC) 12 August 1987 (1987-08-12) claims 1,5	1,5
X	EP 0 045 592 A (SMITH & NEPHEW ASS) 10 February 1982 (1982-02-10) claims 1-3,8	1-6
X	EP 0 403 187 A (AOE PLASTIC GMBH) 19 December 1990 (1990-12-19) examples	1-5
		·

1

tion on patent family members

ational Application No PCT/GB 99/01756

	tent document in search report	t ,	Publication date	Pa m	itent family iember(s)		Publication date
US	4781962	Α	01-11-1988	BE	1002418	Α	05-02-1991
US	3881489	Α	06-05-1975	AT	350015	B	10-05-1979
				ΑT	673774	Α	15-10-1978
				AU	7234674	Α	19-02-1976
				BE	819013	Α	20-02-1975
				CA	1008655	Α	19-04-1977
				СН	577280		15-07-1976
				DE	2439367		27-02-1975
			•	DK	443874		14-04-1975
				FR	2241265		21-03-1975
				GB	1471721		27-04-1977
				ĬĒ	40440		06-06-1979
				ÎŤ	1020028		20-12-1977
				ĴP	50049041		01-05-1975
				LÜ	70770		11-06-1975
				NL	7411075		24-02-1975
				SE	388342		04-10-1976
				SE	7410532		21-02-1975
					7410532	n 	
DE 	3245196	A 	07-06-1984	NONE			
GB	2189993	Α	11-11-1987	NONE			·
GB	2012159	Α	25-07-1979	NONE			
DE	9313654	U	23-12-1993	NONE			
GB	2186233	Α	12-08-1987	NONE			
EP	0045592	A	10-02-1982	AT	11216		15-02-1985
				AU	544583		06-06-1985
				AU	7358081		04-02-1982
				CA	1174548		18-09-1984
				DK	335881		31-01-1982
				GB	2081177		17-02-1982
				ΙE	51970		13-05-1987
				JP	57066752	Α	23-04-1982
				US	4414970		15-11-1983
				ZA	8105051	A 	29-09-1982
EP	0403187	 A	19-12-1990	DE	3919166		13-12-1990
				ΑT	134172		15-02-1996
				DE	69025355		28-03-1996
				DE	69025355	-	18-07-1996

if two or nave Authorities are competent, th the competent International Preliminary Extiniting Author with the one chosen by the applicant. The full name or two-letter code of that Authority may be indicated by the applicant on the line below:

CHAPTER II

DEMAND

under Article 31 of the Patent Cooperation Treaty:
The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty and hereby elects all eligible States (except where otherwise indicated).

	Date of receipt of I	DEMAND
dentification of IPEA 30x No. 1 IDENTIFICATION OF	THE INTERNATIONAL APPLICATION	Applicant's or agent's file reference PEND/P20878PC
nternational application No. 3B99/01756	International filing date (day/month/year) 4 June 1999	(Earliest) Priority date (day/aumth/year) 5 June 1998
LEXIBLE SHEET MATERIA	L AND METHOD OF MAKING SAM	IE .
Box No. II APPLICANT(S)		
Name and address: (13-mile name followed The published page in held Courtaulds Textiles (Holding)	lw given name: for a legal vinix, litt official designation. to posted oute and name of channy.) ngs) Limited	Talephoue No.:
13/14 Margaret Street		tracsimile (So.,
London W1A 3DA United Kingdom		Teleprinter No.:
State (that is, country) of nationality:	Sente tikai is, con	num) of residence:
Name and address: Wande name fallineed McKNIGHT, Jo	The given name: Tot a legal entire, full afficial designation. I	The address runer archade provid code and name of countr
Name and address: thombe more piliness McKNIGHT, Jo c/o Penn Nyla Acton Road, Long Eaton Nottingham NG10 1FX	The given name: Tot a legal entire full afficial designation. I	The address runer archade proval code and name of countr
McKNIGHT, Jo c/o Penn Nyla Acton Road, Long Eaton	· .	
Name and address: thomby name followed McKNIGHT, Joc/o Penn Nyla Acton Road, Long Eaton Nottingham NG10 1FX United Kingdom State (that is, country) of nationality:	Sinte (then is, co)	unity) of residence:
Name and address: thomby name followed McKNIGHT, Joc/o Penn Nyla Acton Road, Long Eaton Nottingham NG10 1FX United Kingdom State (that is, country) of nationality:	Sinte (then is, co) GB A by given name: for a legal conty, full official designation.	unity) of residence:

Form PCT/IPEA/401 (first sheet) (July 1908; reprint July 1999)

See Notes to the demand form

Sheet No. 2

Internat	GB99	m	Ÿ	142
	~~/	70		

	<u> </u>
BOX NO. HI AGENT OR COMMON REPRESENTATIVE: OR ADDRESS FOR CO	RRESPONDENCE
The following person is agent common representative	
and X has been appointed earlier and represents the applicant(s) also for international pro-	liminary examination
is hereby appointed and any earlier appointment of (an) agent(s)/common represer	native is hereby revoked.
is hereby appointed, specifically for the procedure before the International-Prelimithe agent(s)/common representative appointed earlier.	nary Examining Authority, in addition to
Name and address: (Family name followed by given name: for a legal citaty, full official designation, DEALTRY, Brian	Telephone No.:
DEALTRY, Brian	(0115) 955 2211
Eric Potter Clarkson	Facsimile No.:
Park View House	(0115) 955 2201
58 The Ropewalk	
Nottingham NG1 5DD	Teleprinter No.:
United Kingdom	37540 Potter G
Address for correspondence: Mark this check-box where no agent or common to space above is used instead to indicate a special address to which correspondence.	epresentative is/has been appointed and the should be sent.
BOX NO. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION	
Statement concerning amendments:*	
1 The applicant wishes the international preliminary examination to start on the basis of:	
(X) the international application as originally filed	
the description as originally filed	
as amended under Article 34	
the claims as originally filed	
as amended under Article 19 (together with any accompanying	(statement)
as amended under Article 34	·
the drawings as originally filed	
as amended under Article 34	
)	
2. The applicant wishes any amendment to the claims under Article 19 to be consider	
3. The applicant wishes the start of the international preliminary examination to be poferoin the priority date unless the International Preliminary fixamining Authority runder Article 19 or a notice from the applicant that he does not wish to make such box may be marked only where the time limit under Article 19 has not yet expired.	eccives a copy of any amendments made amendments (Rule 69.1(d)). (Phis check-)
Where no check-hox is marked, international preliminary examination will start on that originally filed or, where a copy of amendments to the claims under Article 19 and/or an under Article 34 are received by the International Preliminary Examining Authority netons or the international preliminary examination report, as so amended.	nendments of the international application e it has begun to draw up a written opinion
Language for the purposes of international preliminary examination: Englis	ll .
which is the language in which the international application was filed	
which is the language of a translation furnished for the purposes of internation	nal search
which is the language of publication of the international application.	and and and indicate and
which is the language of the translation (to bo) furnished for the purposes of i	international prefirminary examination.
Ray No. V ELECTION OF STATES	
The applicant hereby elects all eligible States (that is, all States which have been designed	ed and which are bound by Chapter II of
the FCT) excluding the following States which the applicant wishes not to elect:	
sociating the following source approximation of the sociation of the socia	

International application No. GB99/01756 Slice No. . .3 Box No. VI CHECK LIST For International Preliminary The demand is accompanied by the following elements, in the language referred to in Examining Authority use only Box No. IV, for the purposes of international preliminary examination: neceived not received 1. translation of international application sheets. 2. amendments under Article 34 sheets 3. copy (or, where required, translation) of amendments under Article 19 sheets 4. copy (or, where required, translation) of statement under Article 19 sheets sheets 5. Tetter sheets 6. other typecify) The demand is also accompanied by the item(s) marked belowstatement explaining lack of signature fee calculation sheet nucleoride and or amino acid sequence listing in separate signed power of attorney computer readable form copy of general power of attorney: other (specife): reference number, if any: Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE Next to each signature, indivine the many of the person-signing and the capacity is which the person-signs (a) such expacity is not obvious from reading the desmonth. Brian Dealtry

1. Date of actual receipt of DEMAND:

2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.4(b):

3. The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 3, below, does not apply.

4 The date of receipt of the demand is WITHIN the period of 19 months from the priority date as extended by varue of Rule 80.5.

5. Although the date of receipt of the demand is after the expiration of 19 months from the priority date, the delay in arrival is EXCUSED pursuant to Rule 82.

For International Bureau use only

Form PCT/IPI;A/401 (last sheet) (July 1998; reprint July 1999)

Demand received from IPEA on:

See Notes to the demand forn.



REQUEST

eceiving Office use only	
International Application No.	
International Filing Date	
International Printy Date	
Name of receiving Office and "PCT International Application"	

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.	Name of receiving Office and "PCT International Application" Applicant's or agent's file reference (if desired) (12 characters maximum) PEND/P20878PC				
decoroning to the conference country.					
BOX NO. I TITLE OF INVENTION FLEXIBLE SHEET MATERIAL AND N	METHOD OF MA	KING SAME			
Box No. II APPLICANT					
Name and address: (Family name followed by given name; for a designation. The address must include postal code and name of col address indicated in this Box is the applicant's State (that is, country of residence is indicated below.)	untry. The country of the	This person is also inventor.			
Courtaulds Textiles(Holdings) Limited		Telephone No.			
13/14 Margaret Street		Facsimile No.			
London		·			
W1A 3DA		Teleprinter No.			
United Kingdom					
State (that is, country) of nationality: GB	State (that is, country) of GB	of residence:			
This person is applicant all designated all designate	ed States except the	e United States the States indicated in the Supplemental Box			
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	HER) INVENTOR(S)	·			
Name and address: (Family name followed by given name: for a designation. The address must include postal code and name of code address indicated in this Box is the applicant's State (that is, country of residence is indicated below.) MCKNIGHT, Jo c/o Penn-Nyla Acton Road, Long Eaton Nottingham NG10 1FX United Kingdom	untry. The country of the y) of residence if no State	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)			
State (that is, country) of nationality: GB	State (that is, country) of GB	of residence:			
This person is applicant for the purposes of: all designated all designated the United	ed States except	the United States the States indicated in the Supplemental Box			
Further applicants and/or (further) inventors are indicated	on a continuation sheet.				
Box No. IV AGENT OR COMMON REPRESENTATIVE	E; OR ADDRESS FOR O	CORRESPONDENCE			
The person identified below is hereby/has been appointed to act of the applicant(s) before the competent International Authoritie		agent common representative			
Name and address: (Family name followed by given name; for designation. The address must include postal of	a legal entity, full official code and name of country.)	Telephone No.			
DEALTRY, Brian		(0115) 955 2211			
Eric Potter Clarkson Park View House		Facsimile No. (0115) 955 2201			
58 The Ropewalk		Tolographic No.			
Nottingham NG1 5DD		Teleprinter No. 37540 Potter G			
Address for correspondence: Mark this check-box where space above is used instead to indicate a special address to	no agent or common repre which correspondence sho	sentative is/has been appointed and the old be sent.			

				$\boldsymbol{\neg}$		
Sheet	No			_	,	

Box N		DESIGNATION OF STATES											
The fo	llowi	ng designations are hereby made under Rule 4.9(a)	(mari	t the	applicable check-boxes; at least one must be marked):								
Region		- · - (;											
IX	AP	ARIPO Patent: GH Ghana. GM Gambia, KE Kenya ZW Zimbabwe, and any other State which is a Contr	acting	g State									
X		Eurasian Patent: AM Armenia. AZ Azerbaijan. BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation. TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT											
X	EP	European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT											
凤	TO A CARRY AND ALL FOR DAIR I OF CONTRACTOR DOUBLE CO COME CI COM Allering CM Company												
Noti-		• ••											
_		nt (if other kind of protection or treatment desired, specify o											
		Albania			Lesotho								
X		Armenia	K	LT	Lithuania								
		Austria	K	LU	Luxembourg								
X	ΑU	Australia	\mathbf{k}	LV	Latvia								
×		Azerbaijan	K	MD	Republic of Moldova								
		Bosnia and Herzegovina	<u>K</u>	MG	Madagascar								
ΪX		Barbados	⊠		The former Yugoslav Republic of Macedonia								
		Bulgaria											
[X]		Brazil	\mathbf{K}	MN	Mongolia								
			_		Malawi								
	BY	Belarus											
K		Canada			Mexico								
[2]		and LI Switzerland and Liechtenstein	K		Norway								
Z	CN	China	$ \sum_{i=1}^{n} x_i $		New Zealand								
X		Cuba		PL	Poland								
	CZ	Czech Republic	\mathbf{X}	PT	Portugal								
X		Germany		RO	Romania								
K		Denmark	\mathbf{X}	RU	Russian Federation								
<u>[Z]</u>		Estonia	\mathbf{X}	SD	Sudan								
Z)	ES	Spain	\boxtimes	SE	Sweden								
Ξ	FI	Finland	$\overline{\mathbb{Z}}$	SG	Singapore								
ZZ.		United Kingdom		SI	Slovenia								
		Grenada		SK									
			⊠	SL	A								
EJ EJ		Georgia											
[Z]		Ghana		TJ	Tajikistan								
		Gambia			Turkmenistan								
K		Croatia	X)	TR	Turkey								
	HU	Hungary	\boxtimes	TT	Trinidad and Tobago								
区	ID	Indonesia	X		Ukraine								
ĽΣ	IL	Israel	$\langle X \rangle$	UG	Uganda								
	IN	India	Δ	US	United States of America								
	IS	Iceland	•										
<u></u>	JP	Japan	\boxtimes	UZ	Uzbekistan								
גז		Kenya	X	VN	Viet Nam								
IZI		Kyrgyzstan		YU	Yugoslavia								
		Democratic People's Republic of Korea	図		Zimbabwe								
ا لم	***												
L	VD		Che a n	cK-be	oxes reserved for designating States (for the purposes of all patent) which have become party to the PCT after								
		Republic of Korea	issu	апсе	of this sheet:								
		Kazakhstan		C	th A frica								
닏		Saint Lucia	_		th Africa								
لخاا		Sri Lanka											
	LR	Liberia	L	•••									

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

Sheet No.3..

Box No. VI PRIOR	ITY		Further prio	laims are indicated	in the Supplemental Box.			
Filing date	Filing date Number Where earlier appl							
of earlier application (day/month/year)	· 1	rlier application	national application: country	regional application:* regional Office	international application: receiving Office			
item (1)								
05 June 1998 (05.06.98	98	12026.4	GB		······································			
item (2)								
·								
item (3)								
				·				
			mit to the International Bu cation was filed with the he receiving Office) identif		. 1			
* Where the earlier applie	cation is an ARIP	O application, it is r Property for which t	nandatory to indicate in the S that earlier application was fi	Supplemental Box at least of led (Rule 4.10(b)(ii)). See	one country party to the Paris Supplemental Box.			
		EARCHING AU						
Choice of Internationa	I Searching Aut				to that search (if an earlier national Searching Authority):			
competent to carry out the Authority chosen: the	he international so	earch, indicate	te (day/month/year)	Number	Country (or regional Office)			
ISA /								
Box No. VIII CHEC	K LIST; LAN	GUAGE OF FIL	ING					
This international appli	ication contains	This internation	al application is accompa	nied by the item(s) mark	ed below:			
the following number request	: 3	1. Free calcu						
description (excluding		1 —	signed power of attorney	anforming number if on				
sequence listing part)	: 19		general power of attorney; nt explaining lack of signat		ıy.			
abstract	: 4 ·: 1	1 —	document(s) identified in I	•				
drawings	: 3		on of international applicat					
sequence listing part of description	. 0	7. separate indications concerning deposited microorganism or other biological material						
·	: 0	-	de and/or amino acid seque	= :	readable form			
Total number of shee		9. ∑ other (<i>s</i> ₁			· .			
Figure of the drawing should accompany the	abstract: 1	in	anguage of filing of the ternational application:	English				
Box No. IX SIGNA				signs (if such capacity is not o	obvious from reading the request).			
Next to each signature, that	case me name of me	person signing war i	ic capacity in which the person c	ng, 12 (y shen ed) 2en, 1e ma	,			
					54			
				//				
				A.				
								
		For	DEA receiving Office use only	LTRY, Brian				
Date of actual receinternational appli			Office ase only		2. Drawings:			
3. Corrected date of a timely received pa the purported inter	pers or drawings	completing			received:			
Date of timely recorrections under					not received:			
5. International Searce (if two or more are	ching Authority competent):	ISA /	6. Transmi until sea	ttal of search copy delay rch fee is paid.	ed			
		For In	ternational Bureau use only	у				
Date of receipt of the by the International E								

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

B32B 27/12, A47C 21/06, A47G 9/02

(11) International Publication Number:

WO 99/64238

(43) International Publication Date:

16 December 1999 (16.12.99)

(21) International Application Number:

PCT/GB99/01756

A1

(22) International Filing Date:

4 June 1999 (04.06.99)

(30) Priority Data:

9812026.4

5 June 1998 (05.06.98)

GB

(71) Applicant (for all designated States except US): COURTAULDS TEXTILES (HOLDINGS) LIMITED [GB/GB]; 13/14 Margaret Street, London W1A 3DA (GB).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): MCKNIGHT, Jo [GB/GB]; Penn-Nyla, Acton Road, Long Eaton, Nottingham NG10 1FX (GB). AMBROSE-JONES, Shaun [GB/GB]; Penn-Nyla, Acton Road, Long Eaton, Nottingham NG10 1FX (GB).
- (74) Agent: DEALTRY, Brian; Eric Potter Clarkson, Park View House, 58 The Ropewalk, Nottingham NG1 5DD (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, MI, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: FLEXIBLE SHEET MATERIAL AND METHOD OF MAKING SAME

(57) Abstract

A flexible, extensible, sheet material comprising an air-permeable first layer and a second layer, the second layer comprising an air-impermeable material of uniform thickness having a set of perforations therethrough at a selected part of the second layer. Conveniently, the material is made by a method of making a laminated sheet material comprising: (a) procuring an air permeable first layer, (b) procuring an air-impermeable second layer comprising a material of uniform thickness; (c) laminating the first and second layers to one another to provide said laminated sheet material; and (d) forming a set of perforations therethrough at a selected part of the second layer. The material may be used in protective covers for mattresses to provide ventilation of bodies of patients lying on the covers.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

FLEXIBLE SHEET MATERIAL AND METHOD OF MAKING SAME

This invention is concerned with flexible sheet material and method of making same.

5

10

15

20

25

In caring for patients in hospital, pressure-sores (often called bed-sores and more correctly known as decubitus) are a potential problem. Additionally patients may also be incontinent or have exuding wounds. To try to protect patients from the risk of pressure-sores and prevent fluid transfer to the underlying mattress and any resulting cross-infection, various sheets or cover sheets have been introduced. Such protective sheets are, of necessity, impermeable to fluids microbes and pathogens. Moreover, to reduce the risk of pressure-sore development, the sheet needs also a certain amount of stretch, thereby reducing interface pressures on the patient's most vulnerable areas.

To this end, varying solutions have been proposed, including both "static" and "dynamic" systems. Whereas the static systems may operate as a sprung or foam block mattress with a cover sheet, the dynamic systems are inflatable and often consist of a series of cells, which are sequentially deflated so as to further reduce the interface pressure exerted on the various parts of the patient's body. Such mattresses have been successful in reducing the incidence of pressure sores and inhibiting their progression.

A further complication to this issue is that, as a result of the sheet cover being impermeable, the patient's skin can be in direct contact with

fluids, which can inhibit the healing process. For wounds (including pressure sores) to heal most effectively, they need to be exposed to a reasonable amount of air, and not left in contact with moisture.

2

In order for a material to be suitable for use as a protective mattress cover, it should preferably have the following properties: impermeability to liquid, good heat transmission, flexibility, resilience, stretch and recovery. This allows such materials to readily respond to the contours of the patient's body.

10

15

20

25

5

One of the various objects of the present invention is to provide a flexible sheet material through which air can be delivered.

Another of the various objects of the present invention is to provide an improved flexible sheet material suitable for use as a mattress cover.

Another object of the present invention is to provide a flexible sheet material suitable for use as a patient-contacting sheet material to enable control of air transfer to regions of the sheet material which might come into contact with a patient's body.

In one aspect the invention may be considered to provide a flexible sheet material comprising an air-permeable first layer and a second layer, the second layer being substantially air-impermeable but having a controlled air permeability at a selected part of the second layer.

Preferably, the first and second layers are produced separately and the second layer (which is preferably of uniform thickness) is then laminated to the first layer. In a preferred sheet material in accordance

3

with the invention the second layer comprises an air-impermeable material having a set of perforations therethrough at the selected part.

Preferably, the first layer is a textile material, conveniently a relatively extensible, flexible and resilient textile material; suitably the textile material is preferably knitted (but may be woven or a 'non-woven' provided that they have the necessary characteristics - stretch is specially important) and is a relatively open textile material with high loft to provide the desired air permeability characteristics.

10

15

20

25

5

Preferably, the second layer is a relatively extensible, flexible and resilient impermeable plastics material, suitably a polyurethane composition. Such compositions are typically polyester or polyether prepolymers extended by means of aliphatic or aromatic polyisocyanates in combination with polyhydroxyl or polyamino compounds. The resulting elastomers may be applied as solutions, emulsions, in molten or prepolymerised forms. The second layer is preferably of uniform thickness, to minimise the risk of any thin regions being present in the second layer which may lead to unwanted leakage through the second layer.

In a first sheet material in accordance with the invention the perforations may be of different dimensions in a first region of the selected part from those in a second region, the perforations in the first region suitably being larger than those in the second region. Conveniently, the perforations in the first region each have a diameter between 0.2 mm and 1 mm and the perforations in the second region have a diameter between 0.1 mm and 6 mm.

4

The airflow through the perforated regions of the sheet material in accordance with the invention is preferably sufficient to give satisfactory ventilation.

5

10

15

25

In the first sheet material in accordance with the invention the first region of perforations extends lengthwise along a central part of the sheet material and the second region extends lengthwise at either side of the central part. Conveniently, the central part is between 25 cm and 35 cm in width preferably about 30 cm. Conveniently each part of the second region at either side of the first region is between 7.5 cm and 15 cm wide, preferably about 10 cm. The combined width of the first and second regions is preferably between 40 cm and 65 cm, more preferably between 50 cm and 60 cm. In the first region the perforations are preferably between 0.1 and 1.6 mm in diameter, more preferably between 0.2 mm and 1 mm. The perforations in the second region are preferably between 0.1 mm and 1.6 mm in diameter, more preferably between 0.1 and 0.6 mm.

Alternatively the perforations may all be of the same size, in which case the perforations are preferably between 0.1 mm to 1.6 mm in diameter, more preferably between 0.6 to 1.2 mm.

The first sheet material in accordance with the invention comprises a third layer on a face of the first layer opposite that carrying the second layer, the third layer conveniently being formed separately from the first and second layers and laminated thereto. The third layer is air-impermeable and preferably of uniform thickness and in this first sheet material the first layer is permeable to air in a direction parallel to the surface of the sheet material as well as in a direction extending

transversely to the surface of the sheet material. Conveniently, the third layer is a polyurethane composition. Although polyurethane compositions are preferred for use as the second or third layers, other materials, for example PVC, synthetic rubber or acrylics, may prove suitable for use in materials in accordance with the inventions provided that they have the necessary characteristics.

5

10

15

25

5

A second sheet material in accordance with the invention merely comprises the first and second layers, no third layer being included. The perforations in the second layer range between 0.1 and 1.6 mm in diameter, more preferably between 0.1 and 1 mm in diameter.

Although the perforations described herein are generally circular, other shapes might be used provided that their areas are appropriate. Thus, if other shapes are used in materials otherwise similar to the first or second materials, their areas may correspond with the areas of the preferred circular perforations.

In another aspect the invention may be considered to provide a method of making a laminated sheet material comprising:-

- (a) procuring an air permeable first layer;
- (b) procuring an air-impermeable second layer comprising a material of uniform thickness;
- (c) laminating the first and second layers to one another to provide said laminated sheet material; and
- (d) forming a set of perforations through the second layer at a selected part thereof.

6

Preferably, in carrying out a method in accordance with the invention the first layer is a textile material, preferably a knitted textile fabric which is of open construction and high loft and is flexible, resilient and extensible. Preferably, the second layer is an impermeable plastics sheet material, suitably a polyurethane composition and is preferably flexible, extensible and resilient.

5

10

15

20

25

Preferably, the second layer is laminated with the first layer, more preferably by transfer coating but other laminating techniques may be used, eg. hot melt, adhesive spot techniques or pressure sensitive adhesive films. In transfer coating the second layer is formed by coating a support substrate, conveniently a release paper, with a layer of coating material of uniform thickness by any well known coating technique, the coating material conveniently being a polyurethane composition. The coating material is then cured or allowed to cure to form a flexible sheet of uniform thickness; more than one layer of coating material may be applied if desired. A thin adhesive (or tie) coat is then applied to the surface opposite the substrate and the first layer is brought into contact with the tie coat and pressed gently against it, thereafter being cured or allowed to cure to securely laminate the first layer and second layer to one another. Laminating by transfer coating avoids undue penetration of the first layer thus militating against undesirable reduction in flexibility or, extensibility resilience of the finished sheet material.

The perforations may be made by any suitable technique but are preferably made using a laser system after the first and second layers have been laminated to one another, the laser being chosen to perforate the second layer at selected positions but to not perforate or significantly affect the first layer. Although the perforations could be made whilst the

7

second layer is still supported by the substrate prior to being laminated with the first layer, that is not preferred.

In perforating the second layer, the perforations are chosen to be such that the ratio of area of the perforations in the selected perforated part to the area of solid material in the selected part ranges between 1:5 cm² and 1:50 cm². However, the ratio of the area of the perforations to the area of the solid material of the selected part of the second layer may be varied according to the airflow which is desired through the perforations.

5

10

15

20

25

In a method in accordance with the invention of making the first sheet material in accordance with the invention, a third layer is laminated to a face of the first layer opposite that to which the second layer is laminated, preferably by transfer coating. The third layer is air-impermeable and of uniform thickness, to minimise the risk that unwanted leakage of air through the third layer may arise.

The second sheet material in accordance with the invention is produced by terminating the method after laminating the first and second layer and perforating the second layer.

Material in accordance with the invention may be used in the manufacture of cover sheets for mattresses and for other purposes where it is desirable to supply a controlled flow of air to preselected locations. For example, material in accordance with the invention comprising three layers may be utilised in the manufacture of a body suit with the second layer on the inside, for treatment of patients suffering from hypothermia

8

where warm air may be supplied through the perforations to the interior of the suit.

There now follows a detailed description to be read with reference to the accompanying drawings of a flexible sheet material embodying the invention, and a method of making the sheet material likewise embodying the invention. It will be realised that the sheet material and methods have been selected for description to illustrate the invention by way of example. Although the second and third layers of a preferred sheet material in accordance with the invention are of uniform thickness with a set of perforations through the second layer at a selected part, other materials having controlled air permeability may be used. For example such materials (conveniently polyurethane compositions) may be made by coagulation techniques to form a microporous second layer, or other techniques for forming microporous sheet materials; such materials where construction permits, have characteristics similar to those referred to herein in respect of sheet material in accordance with the invention set out in Claim 1.

Irrespective of the manner in which the sheet material is rendered air permeable, to deliver a controlled air flow it is important to select suitable air transmission characteristics at the selected part of the material. Thus, for example, the air permeability should be sufficient to deliver a desired air flow rate eg. where the material is to be used to ventilate a patient.

25

20

5

10

15

Furthermore, where the material is to be used as a mattress cover the sheet material may be adapted to provide at least two lengthwise extending air permeable regions, a first region extending along a central part of the sheet material and a second (or further) regions at either side of the central

9

region; the central region conveniently has a greater air flow capacity than the second (or other) regions whereby to facilitate the ventilation of desired parts of the body of a patient supported on the sheet material.

Alternatively, when used as a mattress cover, the perforations may be arranged in an array centrally located relating to the mattress so as to correspond to that area which supports the torso region of a person lying on the mattress.

In the accompanying drawings:-

5

10

15

20

25

Figure 1 is a diagrammatic plan view showing a first sheet material embodying the invention; and

Figure 2 is a view of the first sheet material embodying the invention showing a perforated part of the material on a larger scale.

Figure 3 is a diagrammatic plan view of a further sheet material embodying the invention;

Figure 4 is a part sectional view taken along line IV-IV in Figure 3;

Figure 5 is a diagrammatic plan view of a strip of the sheet material shown in figure 3.

The first illustrative sheet material 10 is a flexible, resilient material and comprises an air permeable first layer 12 (see Figure 2). The first layer 12 is a loosely knitted high loft textile fabric which is relatively open in structure and is between 200 and 1000 micrometers in uncompressed thickness, more preferably between 200 and 600 micrometers and conveniently about 400 micrometers; the thickness depends on the end use to which it is intended to put the material. The textile fabric which provides the first layer 12 is readily permeable to air considered in a direction parallel to the surface of the sheet material 10, as well as in a direction transverse to the sheet material 10.

10

The first layer 12 is laminated to a second layer 14 which is of uniform thickness but has a set of perforations 18, 20 extending through a selected part of the second layer 14. The selected part of the first sheet material 10 is indicated by dashed lines R which are parallel with opposite parallel edges 16 of the sheet material. The perforations 18, 20 are of different dimensions and are grouped in two regions. A first, central region lies between lines S parallel with the lines R and extends lengthwise along a central part of the sheet material 10; the perforation 20 are disposed in the first region. The perforations 18 are disposed in a second region which extends at either side of the first region lengthwise of the sheet material, the second region being disposed between one of the lines R and the adjacent line S. The perforations 20 in the first region are larger than those 18 in the second region and both sets of perforations are generally circular; however, the perforations may all have the same diameter or be of greater diameters according to the use to which the sheet

5

10

15

20

25

material is to be put.

In the first illustrative sheet material the perforations 20 are preferably between 0.1 and 1.6 mm in diameter, more preferably between 0.2 and 1 mm in diameter. The perforations 18 are preferably also between 0.1 and 1.6 mm in diameter and more preferably between 0.1 and 0.6 mm in diameter.

The first illustrative sheet material further comprises a third layer 22 on the face of the layer 12 opposite the face carrying the second layer 14. The third layer is air-impermeable and provided by a polyurethane film of uniform thickness.

11

The second and third layers 14, 22 are conveniently of the same thickness (but may be of different thicknesses) preferably between 20 and 100 micrometers thick and more preferably between 20 and 60 micrometers thick, suitably about 40 micrometers.

5

10

15

20

25

In order to enable air to be introduced between layers 14, 22, the first illustrative sheet material further comprises larger openings 24 in marginal regions of the sheet material 10 adjacent the edges 16. The openings 24 conveniently are of about 30 mm diameter and the openings 24 in the second layer 14 may be provided by complete removal of the second layer 14 for the whole of the diameter of the opening 24 or by a series of closely adjacent holes within the boundary defining the opening 24.

The first illustrative sheet material 16 has an air impermeable seal along the opposite edges 16.

A second sheet material embodying the invention is generally similar to the first illustrative sheet material described above except that the third layer 22 is omitted as are the openings 24 in the surface 14, and as is the impermeable seal along the edges 16, 26.

The first and second illustrative sheet materials are made by carrying out a method embodying the invention. In carrying out the first illustrative method a suitable air permeable textile fibre fabric is procured to provide the first layer. The textile fibre fabric is conveniently supplied in a continuous length wound on a roll from which it is withdrawn to provide the first layer.

12

5

10

15

20

25

The second layer is made by coating a substrate with a layer of suitable polyurethane coating composition to provide on the substrate a polyurethane composition coating having a uniform thickness. The substrate is suitably a paper with a release surface. The paper may conveniently be supplied from a roll and the polyurethane coating coated onto the release surface by known coating techniques. The polyurethane coating is then cured to provide on the substrate a film of polyurethane of uniform thickness to form the second layer. If desired a plurality of separate polyurethane coatings may be applied to form a multi-coat second layer. The second layer is then coated with a thin tie coat which may be a further polyurethane composition (or other suitable adhesive eg. acrylic) but of much less thickness than the film which provides the second layer. Whilst the tie coat is still in a soft and tacky condition it is brought into engagement with the first layer and gently pressed thereagainst, the tie coat then being cured to laminate the second layer 14 to the first layer. This method of applying a surface coating to a substrate is commonly The first and second layers may be referred to as transfer coating. laminated together in this way to provide a continuous laminated sheet material.

In making the first illustrative sheet material, in carrying out this illustrative method, a third layer 22 provided by a polyurethane composition is applied to the first layer on the opposite face from that on which the second layer 14 is applied by a transfer coating technique, similar to that of the lamination of the first and second layers; the second layer 14 will, usually, have been separated from the support substrate prior to laminating with the third layer.

The perforations 18, 20 (and where appropriate openings 24) are preferably formed in the second layer after it has been laminated to the

13

first layer and has been separated from the release coat carried by the substrate on which the second layer is coated, but before the third layer is laminated on the opposite face of the first layer.

5

10

15

20

25

The second layer is perforated using a laser system which is able to perforate the second layer 14 at the required locations and with perforations of the required diameter, as the sheet material comprising the first and second layers is moved through the laser system operating simultaneously in line with the coating system (although this may be a separate, remote operation, if required), in a continuous production technique (rather than a batch processing technique). A suitable laser system is available from the Spanish company MACSA under the trade name MAC2000 CO₂, which includes a CO₂ sealed laser having a wavelength of 10.6 micrometers. The same laser system may be used to produce the openings 24 in the layer 14 where necessary.

If the second illustrative material is to be produced, provision of the openings 24 is not necessary and it is not necessary to laminate the third layer to the first layer 12.

Should the illustrative method be employed to produce the first illustrative material then it will be necessary to form the openings 24 and to laminate the third layer 22 to the first layer as outlined above.

In carrying out the illustrative method of making the first illustrative material it is necessary to form an air impermeable seal along the opposite lengthwise edges 16 of the sheet material produced and this can be done by any convenient means, for example ultrasonic welding or high frequency welding, use of an impermeable tape folded round the edge

14

and sealed to the second and third layers, heat sealing or any other suitable sealing system.

Where the illustrative materials are to be used to provide mattresses covers the width of the sheet material between the opposite edges 16 is conveniently between 85 and 150 cm, preferably between 85 cm and 120 cm. The region between the lines R in which the perforations are to be formed is suitably between 40 cm and 65 cm in width, preferably between 50 cm and 60 cm in width. Where openings 24 are formed in the second layer 14 they are conveniently closer to the perforated region R than the edges 16 of the fabric and the spacing between the openings is conveniently between 70 cm and 95 cm, preferably between 75 cm and 85 cm, depending on the width of the perforated region between the lines R.

Where one of the illustrative sheet materials is to be used as a cover for a mattress it is cut into discrete lengths, suitably between 140 cm and 360 cm in length and preferably between 210 cm and 250 cm in length.

15

20

25

For the first illustrative sheet material the transverse cut edges such as the edge 26 must be sealed together by any suitable means for example as used to seal the edges 16 in carrying out the illustrative method to create an airtight seal between the second and third layers. If desired the lengthwise edges 16 may also be sealed during manufacture of the cover instead of when making the first illustrative sheet material. For each such mattress cover there are conveniently five openings 24 along each side of the cover. Connecting means may be sealed to the layer 14 around the openings 24 to provide a supply of air under pressure to the openings 24.

15

In use of a cover comprising the first illustrative sheet material the cover is placed on a mattress with the second layer 14 uppermost and air under pressure is supplied to the openings 24. The air then permeates through the first layer between the second and third layers and the air escapes through any of the openings 18, 20 which are not completely closed by the patient's body. In mattress systems utilising pockets which are inflated sequentially, those of the perforations 18, 20 which are aligned with a deflated pocket will not be closed off by the patient's body which will be supported only by the inflated pockets and thus air can leak from the unclosed perforations 18, 20 to ventilate the exposed regions of the patient's body. When the previously deflated pockets are re-inflated the patient's body will be supported by the inflated pockets and the corresponding perforations 18, 20 will partially be closed by the patient's body but as others of the pockets deflate, those of the perforations 18, 20 corresponding with the deflated pockets will be open and ventilate the adjacent parts of a patient's body in this way. Thus, the whole of the patient's body can be ventilated in parts sequentially.

5

10

15

20

25

Because the air is supplied from edge regions of the covers formed from the first illustrative sheet material, there will tend to be an air pressure drop across the material from the edge regions towards the centre. The perforations 20 in the centre therefore are of larger diameter than those perforations 18 closer to the edges 16 to facilitate an even distribution of the air escaping from the perforations across the perforated region of the sheet material. If desired there can be perforations of several different diameters, the smallest diameter perforations being closest to the edges 16 and the perforations being of progressively larger diameter towards the centre of the sheet material. The sizes of the

16

perforations 18, 20 are chosen to provide the required air distribution in the use of the material.

The third layer of the first illustrative sheet material not only provides an air impermeable backing layer so that air introduced under pressure through the openings 24 is forced to escape through the perforations 18, 20 but also ensures that no body fluids leak through the cover sheet onto the underlying mattress, thus keeping the underlying mattress clean and sterile.

10

15

20

25

5

After use the cover sheet may be disposed of for hygiene reasons.

Although in the first illustrative sheet material, the openings 24 are provided in the second layer 14 for the introduction of air under pressure, the openings for introduction of air under pressure could if more convenient, be formed in the third layer.

The second illustrative sheet material comprising only the first and second layers may be used in forming an inflatable mattress cover by forming a cover of the second illustrative and sealing the cover sheet to an impermeable backing material around the lengthwise and transverse edges of the cover sheet to form an envelope with the second illustrative material forming one face. Air under pressure may then be introduced into the envelope formed between the cover sheet and the backing layer to inflate the envelope, the air under pressure leaking gradually from the perforations 18, 20 to ventilate the body of a patient lying on the cover.

In this case, where the second illustrative sheet material forms one side of an inflatable envelope, the perforations 18, 20 may all be of the

17

same diameter or may vary in a manner similar to those of the first illustrative sheet material..

The region of the illustrative sheet material in which the perforations are formed are chosen to be of sufficient width to provide adequate ventilation to the bodies of patients who will lie on a cover sheet formed from the material.

Sheet materials generally similar to the illustrative materials can be used for purposes other than mattress covers as the sheet materials have an engineered permeability, the air permeability of the materials in accordance with the invention being able to be closely controlled in accordance with the end use requirements.

An alternative arrangement for introducing air in between layers 14, 22 is provided in the embodiment 70 illustrated in Figures 3 to 5.

In embodiment 70, a pair of longitudinally extending ducts 71 are preferably provided.

20

15

10

Preferably each duct 71 is formed by a longitudinal edge 12<u>a</u> of the first layer 12 and a seal line 73 formed between layers 14, 22. Accordingly in between edge 12<u>a</u> and a seal line 73 layers 14, 22 from an open space therebetween and so define a duct 71.

25

Air is introduced at one or both ends of each duct 71 and permeates into the fabric layer 12 from edge 12a.

18

Preferably the layers 14, 22 are laminated together over the marginal region between seal line 73 and the adjacent edge 16. Preferably the marginal region has a width of about 50 mm.

Preferably the width of each duct 71 (ie the distance between edge 12a and seal line 73) is between 15 to 30 mm, more preferably between 20 to 25 mm.

5

10

15

25

The ducts 71 extend longitudinally of the sheet and so can conveniently be incorporated integrally with the sheet 70 during the manufacturing process as is illustrated in Figure 5 wherein a strip 76 of sheets 70 joined end to end are initially produced, the strip 76 being severed to form individual sheets 70.

In the illustrated embodiment 70, a pair of ducts 71 are provided. It will be appreciated that only one or more than two longitudinally extending ducts 71 may be provided.

In sheets 70, perforations 20 only are provided, preferably in an array 80 comprising columns 81 and rows 82. Preferably the array 80 covers an area centrally of the sheet 70 which corresponds to that area which will support the torso of a person lying on a mattress covered by sheet 70.

Preferably the array 80 has a length of between 900 to 1100 mm, and has a width of between 400 to 430 mm.

Preferably the array 80 comprises about nine rows 82, the spacing between adjacent rows 82 being about 120 mm.

19

The array 80 may comprise six columns 81, the spacing between adjacent columns 81 being about 85 mm.

Alternatively, the array 80 may comprise ten columns 81; the spacing between adjacent columns 81 being about 45 mm.

Preferably the perforations 20 defining the array 80 are of the same size, and preferably are between 0.1 mm to 1.6 mm in diameter, more preferably between 0.6 to 1.2 mm.

10

Alternatively, it is envisaged that the array 80 may extend continuously for substantially the entire length of sheet 70. Alternatively, more than one array 80 may be provided for each sheet 70, the arrays 80 being spaced from one another in the longitudinal direction of the sheet 70.

WO 99/64238

20

PCT/GB99/01756

CLAIMS

10

1. A flexible sheet material comprising an air-permeable first layer and a second layer, the second layer being substantially air-impermeable but having a controlled air permeability at a selected part of the second layer.

- 2. A sheet material according to Claim 1 wherein the second layer is of uniform thickness and laminated to the first layer.
- 3. A sheet material according to Claim 2 wherein the second layer comprises an air-impermeable material having a set of perforations therethrough at the selected part.
- 4. A sheet material according to claim 3 wherein all the perforations are to the range of 0.1 mm to 1.6 mm in diameter, preferably 0.6 mm to 1.2 mm.
- 5. A sheet material according to any of Claims 1 to 4 wherein the first layer is a textile material.
 - 6. A sheet material according to Claims 3, 4 or 5 wherein the second layer is a polyurethane composition.
- 25 7. A sheet material according to Claim 3 wherein the selected part comprises a first region and a second region and wherein the perforations are of different dimensions in the first region from those in the second region.

21

- 8. A sheet material according to Claim 6 wherein the perforations in the first region are larger than those in the second region.
- 9. A sheet material according to Claim 8 wherein the perforations in the first and second region each have a diameter between 0.1 mm and 1.6 mm.
 - 10. A sheet material according to Claim 9 wherein the first region extends lengthwise along a central part of the sheet material and the second region extends lengthwise at either side of the central part.

10

15

25

- 11. A sheet material according to any one of the preceding claims comprising a third layer on a face of the first layer opposite that carrying the second layer, the third layer being air-impermeable and the first layer being permeable to air in a direction parallel to the surface of the sheet material and in a direction extending transversely to the surface of the sheet material.
- 12. A sheet material according to Claim 10 wherein the third layer is a polyurethane composition.
 - 13. A sheet material according to claim 11 or 12 wherein one or more longitudinally extending ducts are provided between the second and third layers for ducting air under pressure to the first layer.

14. A sheet material according to either one of Claims 11 and 12 comprising one or more openings in the second layer through which air under pressure can be supplied to the first layer.

22

- 15. A method of making a laminated sheet material comprising:-
 - (a) procuring an air permeable first layer;
 - (b) procuring an air-impermeable second layer comprising a material of uniform thickness;
- 5 (c) laminating the first and second layers to one another to provide said laminated sheet material; and
 - (d) forming a set of perforations through the second layer at a selected part thereof.
- 16. A method according to Claim 14 wherein the first layer is a textile material.

- 17. A method according to either one of Claims 14 and 15 wherein the second layer is a polyurethane composition.
- 18. A method according to any one of Claims 14 to 16 wherein the perforations are made by perforating the second layer after the first and second layers have been laminated to one another.
- 20 19. A method according to any one of Claims 14 to 17 wherein the perforations in a first region of the selected part are of different dimensions from those in a second region.
- 20. A method according to any one of Claims 14 to 18 comprising
 laminating a third layer to a face of the first layer opposite that to which
 the second layer is laminated, the third layer being air-impermeable and of
 uniform thickness.

- 21. A method according to any one of Claims 14 to 19 wherein the second layer is laminated with the first layer by transfer-coating.
- 22. A method according to any one of Claims 14 to 20 wherein the third layer is laminated with the first layer by transfer-coating.
 - 23. A method according to any one of Claims 14 to 21 of making a laminated sheet material according to any one of Claims 1 to 13.




Fig. 1





Fig. 2



PCT/GB 99/01756

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 B32B27/12 A47C21/06 A47G9/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

B32B A47C A61G Á47G IPC 6

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 781 962 A (TOMAS JUNA D M ET AL) 1 November 1988 (1988-11-01) column 1, line 5 - line 20 column 3, line 25 - column 4, line 8 column 5, line 52 - line 56	1,5
X	US 3 881 489 A (HARTWELL EDWARD WALLACE) 6 May 1975 (1975-05-06)	1-5
Α	column 3, line 28 - column 4, line 34	15
X	DE 32 45 196 A (LINNICH PAPIER & KUNSTSTOFF) 7 June 1984 (1984-06-07) claims 1,4,7,10,14-16; figure 2 page 4, paragraph 5 - page 5, paragraph 3 page 7, paragraph 4 - page 8, paragraph 3	1-5

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "8" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
25 August 1999	06/09/1999
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer De Jonge, S

INTERNATIONAL SEARCH REPORT



In .tional Application No PCT/GB 99/01756

		<u> </u>
C.(Continua Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Category	Citation of document, with indication, where appropriate, or the relocation processes	Viciosani to salini to:
X	GB 2 189 993 A (DILLOWAY ARTHUR ALFRED) 11 November 1987 (1987-11-11) page 1, line 102 - line 122; figures 1-3	1-5
(GB 2 012 159 A (COURTAULDS LTD) 25 July 1979 (1979-07-25)	1,2,5,6
1	page 1, line 18 - line 27 page 1, line 63 - line 105	3,4,7-23
(DE 93 13 654 U (NOREGA ANSTALT SCHAAN) 23 December 1993 (1993-12-23) claims; figures 1,2	1-5
(GB 2 186 233 A (JOHNSON & JOHNSON PROD INC) 12 August 1987 (1987-08-12) claims 1,5	1,5
(EP 0 045 592 A (SMITH & NEPHEW ASS) 10 February 1982 (1982-02-10) claims 1-3,8	1-6
X	EP 0 403 187 A (AOE PLASTIC GMBH) 19 December 1990 (1990-12-19) examples	1-5
		1.
	·	

RT ___

Information on patent family members

In tional Application No PCT/GB 99/01756

Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
US 4	4781962	Α	01-11-1988	BE	1002418 A	05-02-1991
US 3	3881489	A	06-05-1975	AT AU BE CA CH DE DK FR GB IE IT JP LU NL SE SE	350015 B 673774 A 7234674 A 819013 A 1008655 A 577280 A 2439367 A 443874 A, B 2241265 A 1471721 A 40440 B 1020028 B 50049041 A 70770 A 7411075 A, G 388342 B 7410532 A	21-03-1975 27-04-1977 06-06-1979 20-12-1977 01-05-1975 11-06-1975
DE 3	3245196	Α	07-06-1984	NONE		
GB 2	2189993	Α	11-11-1987	NONE		
GB 2	2012159	Α	25-07-1979	NONE		
DE 9	9313654	U	23-12-1993	NONE		
GB 2	2186233	Α	12-08-1987	NONE		
EP (0045592	Α	10-02-1982	AT AU CA DK GB IE JP US ZA	11216 T 544583 B 7358081 A 1174548 A 335881 A 2081177 A, I 51970 B 57066752 A 4414970 A 8105051 A	15-02-1985 06-06-1985 04-02-1982 18-09-1984 31-01-1982 17-02-1982 13-05-1987 23-04-1982 15-11-1983 29-09-1982
EP	0403187	Α	19-12-1990	DE AT DE DE	3919166 A 134172 T 69025355 D 69025355 T	13-12-1990 15-02-1996 28-03-1996 18-07-1996